

GROUP 350

ATTACHMENT TO PAPER NUMBER <u>5</u>
S.N. <u>485659</u>

NOTICE OF PATENT DRAWINGS OBJECTION

PTO draftsmen now review both
formal and informal drawings.

The examiner will require
submission of formal drawings
at the appropriate time.

Drawing Corrections and/or new drawings may only be
submitted in the manner set forth in the ~~attached letter~~,
"Information on How to Effect Drawing Changes" ~~PTO 1474~~.

A. ☒ The drawings, filed on 2/27/90, are objected to as informal for reason(s)
checked below:

- | | |
|--|--|
| 1. <input type="checkbox"/> Lines Pale. | 11. <input type="checkbox"/> Parts in Section Must Be Hatched. |
| 2. <input type="checkbox"/> Paper Poor. | 12. <input type="checkbox"/> Solid Black Objectionable. |
| 3. <input checked="" type="checkbox"/> Numerals <i>lettings poor small; must be at least 1/8" tall</i> | 13. <input type="checkbox"/> Figure Legends Placed Incorrectly. |
| 4. <input checked="" type="checkbox"/> Lines Rough and Blurred. <i>Fig. 1-4</i> | 14. <input type="checkbox"/> Mounted Photographs. |
| 5. <input type="checkbox"/> Shade Lines Required. | 15. <input type="checkbox"/> Extraneous Matter Objectionable.
[37 CFR 1.84 (1)] |
| 6. <input type="checkbox"/> Figures Must be Numbered. | 16. <input checked="" type="checkbox"/> Paper Undersized; either 8½" x 14",
or 21.0 cm. x 29.7 cm. required.
<i>Fig. 1-4</i> |
| 7. <input type="checkbox"/> Heading Space Required. | 17. <input type="checkbox"/> Proper A4 Margins Required:
<input type="checkbox"/> TOP 2.5 cm. <input type="checkbox"/> RIGHT 1.5 cm.
<input type="checkbox"/> LEFT 2.5 cm. <input type="checkbox"/> BOTTOM 1.0 cm. |
| 8. <input type="checkbox"/> Figures Must Not be Connected. | 18. <input checked="" type="checkbox"/> Other: |
| 9. <input type="checkbox"/> Criss-Cross Hatching Objectionable. | |
| 10. <input type="checkbox"/> Double-Line Hatching Objectionable. | |

*- fig. legends poor (fig. 1-4)
- legend in y-axis must be inverted (fig. 2)*

B. ☒ The drawings, submitted on 2/27/90, are so informal they cannot be
corrected. New drawings are required. Submission of the new drawings MUST be
made in accordance with the attached letter.